



Bakarne cevaste papucice za presovanje DIN 46235
Materijal: Bakar
Zaštita: Kalajisanje



Kod	Presek provodnika mm ²	Nazivna mera mm-mm ²	d ₁ mm	d ₂ mm	b mm	L mm	a mm	Pakovanje kom.
5501	6	5-6	5.3	3.8	8.5	24	10	50
5502		6-6	6.4					
5503	10	5-10	5.3	4.5	9	27	10	50
5504		6-10	6.4		9			
55041		8-10	8.4					
5505	16	6-16	6.4	5.5	13	36	20	50
5506		8-16	8.4		13			
5507		10-16	10.5		17			
5508	25	6-25	6.4	7.0	14	38	20	50
5509		8-25	8.4		16			
5510		10-25	10.5		17			
552111		8-25-90°	8.4		16			
5511	35	8-35	8.4	8.2	17	42	20	50
5512		10-35	10.5		19			
5513		12-35	12		21			
5514	50	8-50	8.4	10.0	20	52	28	25
5515		10-50	10.5		22			
5516		12-50	13		24			
5517		16-50	17		28			
5518	70	8-70	8.4	11.5	24	55	28	25
5519		10-70	10.5		24			
5520		12-70	13		24			
5521		16-70	17		30			
5522	95	8-95	8.4	13.5	28	65	35	10
5523		10-95	10.5		28			
5524		12-95	13		28			
5525		16-95	17		32			
5526	120	10-120	10.5	15.5	32	70	35	10
5527		12-120	13		32			
5528		16-120	17		32			
5529		20-120	21		38			
5530	150	10-150	10.5	17.0	34	78	35	10
5531		12-150	13		34			
5532		16-150	17		34			
5533		20-150	21		40			


5534	185	10-185	10.5	19.0	37	82	40	10
5535		12-185	13		37			
5536		16-185	17		37			
5537		20-185	21		40			
5538	240	10-240	10.5	21.5	42	92	40	10
5539		12-240	13		42			
55391		14-240	15		42			
5540		16-240	17		42			
5541		20-240	21		45			
5542	300	12-300	13	24.5	48	100	50	10
5543		16-300	17		48			
5544		20-300	21		48			

Aluminijumske cevaste papucice za presovanje
Materijal: Aluminijum



Kod	Presek provodnika mm ²	Nazivna mera mm-mm ²	d ₁ mm	d ₂ mm	b mm	L mm	a mm	Pakovanje kom.
4200	16	8-16	8.4	5.6	17	47.5	26	50
4201		10-16	10.5		18			
4202	25	8-25	8.4	6.8	18	56	34	50
4203		10-25	10.5					
4204	35	8-35	8.4	8.0	20	69	40	50
4205		10-35	10.5					
42051		12-35	13.0					
4206	50	10-50	10.5	9.6	21	72	42	25
4207		12-50	13.0					
4208	70	10-70	10.5	11.0	24	82	50	25
4209		12-70	13.0					
4210	95	10-95	10.5	14.0	27	89	55	10
4211		12-95	13.0					
4212		16-95	17.0					
4213	120	10-120	10.5	14.7	31	91	55	10
4214		12-120	13.0					
4215		16-120	17.0					
4216	150	10-150	10.5	16.9	35	103	65	10
4217		12-150	13.0					
4218		16-150	17.0					
4219		20-150	21.0					
4220	185	12-185	13.0	18.0	38	103	65	10
4221		16-185	17.0					
4222		20-185	21.0					
4223	240	12-240	13.0	22.0	45	112	70	10
4224		16-240	17.0					
4225		20-240	21.0					

Al-Cu cevaste papucice za presovanje
Materijal: Aluminijum
Bakar



Kod	Presek provodnika mm ²	Nazivna mera mm-mm ²	d ₁ mm	d ₂ mm	b mm	L mm	a mm	Pakovanje kom.
4100	16	8-16	8.4	5.6	17	47.5	26	50
4101		10-16	10.5		18.5			
4102	25	8-25	8.4	6.8	18	56	34	50
4103		10-25	10.5		19.5			
4104	35	8-35	8.4	8.0	20	69	40	50
4105		10-35	10.5		20.5			
41051		12-35	13.0		21			
4106	50	10-50	10.5	9.6	20	72	42	25
4107		12-50	13.0		22			
4108	70	10-70	10.5	11.0	24.5	82	50	25
4109		12-70	13.0					
4110	95	10-95	10.5	14.0	28	89	55	10
4111		12-95	13.0					
4112	120	12-120	13.0	14.7	31	91	55	10
4113		16-120	17.0					
4114	150	12-150	13.0	16.9	35	103	65	10
4115		16-150	17.0					
4116		20-150	21.0					
4117	185	12-185	13.0	18.0	38	103	65	10
4118		16-185	17.0					
4119		20-185	21.0					
4120	240	12-240	13.0	22.0	45	112	70	10
4121		16-240	17.0					
4122		20-240	21.0					