





Utični kontakt DIN 46343
Materijal: CuZn






Kod		Presek provodnika mm ²	a mm	L mm	L ₁ mm	s mm
Bez zaštite	Kalajisan					
5121	5021	0.5-1	0.8	28	15.8	0.8
5122	5022	1.5-2.5				
5123	5023	4-6				

Kontakt za migavac
Materijal: CuZn





Kod		Presek provodnika mm ²	a mm	L mm	L ₁ mm	s mm
Bez zaštite	Kalajisan					
5300	5301	0.75-1.5	4.4	21.8	13.5	0.4



Natični kontakt 2.8 DIN 46247						
Materijal: CuZn						
						
		za natični kontakt 4.8 i 6.3		za natični kontakt 2.8		
Kod		Presek provodnika mm ²	d mm	a mm	L mm	L ₁ mm
Bez zaštite	Kalajisani					
5705	5715	0.1-0.25	0.4	2.8	6	14
5706	5716		0.7			
5707	5717	0.5-1.5	0.4		6.3	15.3
5708	5718		0.7			

Natični kontakt 4.8 DIN 46247						
Materijal: CuZn						
Kod		Presek provodnika mm ²	d mm	a mm	L mm	L ₁ mm
Bez zaštite	Kalajisani					
5801	5811	1-2.5		4.8	6.3	15

Natični kontakt 6.3 DIN 46247						
Kod			Presek provodnika mm ²	a mm	L mm	L ₁ mm
Mesingani Bez zaštite	Mesingani Kalajisani	Čelični Niklovani				
5111	5011	5211	0.5-1	6.3	19	7.7
5112	5012	5212	1.5-2.5		19.3	
5113	5013	5213	4-6		19.3	

Natični kontakt sa jezičkom 2.8 DIN 46340						
Materijal: CuZn						
						
		za natični kontakt 6.3		za natični kontakt 2.8		
Kod		Presek provodnika mm ²	d mm	a mm	L mm	L ₁ mm
Bez zaštite	Kalajisani					
5701	5711	0.1-0.25	0.4	2.8	6	14
5702	5712		0.7			
5703	5713	0.5-1.5	0.4		6.3	15.3
5704	5714		0.7			

Natični kontakt sa jezičkom 6.3 DIN 46340						
Materijal: CuZn						
Kod			Presek provodnika mm ²	a mm	L mm	L ₁ mm
Mesingani Bez zaštite	Mesingani Kalajisani	Čelični Niklovani				
5115	5015		0.5-1	6.3	19	7.7
5116	5016		1.5-2.5		19.2	
5117	5017		4-6		19.2	

Muško-ženski kontakt DIN 46345						
Materijal: CuZn						
						
Kod		Presek provodnika mm ²	a mm	L mm	L ₁ mm	s mm
Bez zaštite	Kalajisan					
5118	5018	1-2.5	6.3	19.2	7.7	0.8